## (1) EU-TYPE EXAMINATION CERTIFICATE



- (2) Equipment and Protective Systems intended for use in Potentially Explosive Atmosphere **Directive 2014/34/EU**
- (3) EU-Type Examination Certificate Number

### **TÜV 22 ATEX 8826 U**

'Issue: 01

(4) Equipment:

Terminal Series, Type AL\*\*

(5) Manufacturer:

Weidmüller Interface GmbH & Co. KG

(6) Address:

Klingenbergstr. 26 32758 Detmold, Germany

- (7) This product and any acceptable variation thereto are specified in the schedule to this certificate and the documents therein referred to.
- (8) The TÜV Rheinland Zertifizierungsstelle für Explosionsschutz of TÜV Rheinland Industrie Service GmbH, Notified Body No. 0035 in accordance with Article 21 of the Council Directive 2014/34/EU of 26<sup>th</sup> February 2014, certifies this product which has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmosphere, given in Annex II to the Directive.

The examination and test results are recorded in the confidential report 557/Ex8826.01/22

(9) Compliance with the Essential Health and Safety Requirements, with the exception of those listed in the schedule of this certificate, has been assessed by reference to:

EN IEC 60079-0: 2018

EN IEC 60079-7: 2015 / A1: 2018

- (10) If the sign "X" is placed after the certificate number, it indicates that the equipment is subject to special conditions for safe use specified in the schedule to this certificate.
- (11) This EU-Type Examination Certificate relates only to the design and specification for construction of the equipment or protective system. It does not cover the process for actual manufacture or supply of the equipment or protective system, for which further requirements of the directive are applicable.
- (12) The marking of the equipment shall include the following:



II 2 GD Ex eb IIC Gb

TÜV Rheinland Zertifizierungsstelle für Explosionsschutz

Cologne, 2024-12-02

Dipl.-Ing. Christian Mehrh

This EU Type Ekamination Certificate without signature and stamp shall not be valid.

This EU-Type Examination Certificate may be circulated only without alteration. Extracts or alterations are subject to approval by the TÜV Rheinland Industrie Service GmbH TÜV Rheinland Group Am Grauen Stein 51105 Köln





(13)

Annex

# (14) EU Type Examination Certificate TÜV 22 ATEX 8826 U Issue: 01

#### (15) Description of equipment

15.1 Equipment and type:

Terminal Series
AL\*\*

15.2 Description / Details of Change

General product information

The Feed-through terminals and PE terminals are suitable for application in enclosures in atmospheres with flammable gases of up to zone 1 or combustible dust of up to zone 21.

The certificate covers the types:

AL2C 2.5*	AL2C 4*	AL2T 2.5*
AL3C 2.5*	AL3C 4*	AL2T 2.5 VL*
AL4C 2.5*	AL4C 4*	AL2T 2.5 FT-PE*
AL2C 2.5 PE*	AL2C 4 PE*	AL2T 2.5 PE*
AL3C 2.5 PE*	AL3C 4 PE*	AL2T 4*
AL4C 2.5 PE*	AL4C 4 PE*	AL2T 4 VL*
		AL2T 4 FT-PE*
		AL2T 4 PE*

Optional accessories:

End plate ALEP \*

End bracket AEB 35 SC/1\*

Terminal rail TS 35/... acc.to IEC/EN 60715

Cross connection ZQV \*N/\*

where \* is not Ex relevant.

#### Details of Change:

- The minimum operating temperature was changed from -55°C to -60°C.
- Several types of terminals were added.

This EU Type Examination Certificate without signature and official stamp shall not be valid. This certificate may be circulated without alteration. Extracts or alterations are subject to approval by: Zertifizierungsstelle of TÜV Rheinland Industrie Service GmbH



#### **Technical Data**

Operating temperature:

-60°C...+110°C

For other technical data refer to the "Installation instructions & condition of safe use" for each type of terminal.

(16) Test-Report No.

557/Ex8826.01/22

#### (17) Special Conditions for safe use

- The Feed-through terminals and PE terminals of the A-series are suitable for use in enclosures in atmospheres with flammable gases or combustible dust. For flammable gases these enclosures must satisfy the requirements according to IEC/EN60079-0 and IEC/EN60079-7. For combustible dust the enclosure must satisfy the requirements according to IEC/EN60079-0 and IEC/EN60079-31.
- The enclosure shall be constructed to block all sun and UV light from affecting the
  terminal blocks. The terminal blocks shall be placed inside a suitable certified IP54
  enclosure in type of protection "e" for gas atmosphere. For dust atmosphere the terminal
  blocks shall be mounted inside a suitable certified enclosure (EN 60079-31) in type of
  protection "t".
- 3. Under normal operating conditions the temperature rise of the terminal blocks is maximum 40 K, measured at the maximum permitted rated current. Due to the above mentioned, the terminal blocks may be used in apparatus of temperature classes T6...T1 as long as the terminal block ambient temperature range is not exceeded. No part of terminal block must exceed 110 °C under any condition.

T6 (-60°C ... +40 °C)

T5 (-60°C ... +55 °C)

T4 (-60°C ... +70 °C)

- 4. When using the Feed-through terminals and PE terminals especially with other terminal blocks series or sizes or accessories the requirements for clearance and creepage distances according to table 1 of EN 60079-7 must be observed. Regarding the use of covers, cross-connectors and end brackets the instructions of the manufacturer must be followed.
- 5. For cross connection accessories, current rating, resistance across the terminal please refer to the tables of "Notice to Installers".
- If smaller conductor cross sections than the rated conductor cross sections are used, then the corresponding lower current shall be stated in the Certificate of the complete apparatus
- 7. No other wire sizes or types than the ones specified in instructions must be used. The terminal blocks must either be mounted next to another block of the same type and size or with an end plate.
- Manually cut cross connections and cross connections with blank ends (ZQV's ≥ 20 poles) shall not be used.

This EU Type Examination Certificate without signature and official stamp shall not be valid. This certificate may be circulated without alteration. Extracts or alterations are subject to approval by:

Zertifizierungsstelle of TÜV Rheinland Industrie Service GmbH

TÜV Rheinland Zertifizierungsstelle für Explosionsschutz

Cologne, 2024-12-02

Dipl.-Ing. Christian Mehrho

or sineuball